According to the menu, with strong fire, right away

Gas table stove

"New Hanjo"

Auto-ignition

Registered design

Please use pot/pan of ϕ 260mm or smaller.

- Equipped with powerful burner of 4.07kW (3,500kcal/h), cooking time becomes much shorter.
- Full-surface grid enables to move pots easily and also secures larger space for cooking.
- Forgings are used for the burner head. Rust resistant and more durable.
- Easily removable burner head enables easy and fast cleaning.
- Easy to remove the grid and the drip receiving tray. Easy cleaning and hygienic.
- Many models are available at your choice according to the use.



and slowly over a low flame.



Gas stoves with PS mark represent products in conformity to the technical standards specified by the government of Japan.



■New Hanjo								※ Onl	y for 13A
Model	External dimensions (mm)			No. of	Gas consumption		Gas connection		Weight
	Width	Depth	Height	burners	Town gas	LPG	13A, 12A	LPG	(kg)
M-821C	300	300	164	1	4.07kW(3,500kcal/h)	3.49kW(0.25kg/h)	13mm (Rubber tube end) *	9.5mm (Rubber tube end)	5.5
M-822E	600	320	164	2	8.14kW(7,000kcal/h)	6.98kW(0.50kg/h)	13mm (Rubber tube end) *	9.5mm (Rubber tube end)	11.0
M-823E	780	350	164	3	12.2kW(10,500kcal/h)	10.5kW(0.75kg/h)	13mm (Rubber tube end) *	9.5mm (Rubber tube end)	15.0
M-825C	780	540	164	5	20.4kW(17,500kcal/h)	17.4kW(1.25kg/h)	15A	15A	26.0
M-827C	1,020	540	164	7	28.5kW(24,500kcal/h)	24.4kW(1.75kg/h)	20A	20A	34.0
M-822DC	300	540	164	2	8.14kW(7,000kcal/h)	6.98kW(0.50kg/h)	13mm (Rubber tube end) *	9.5mm (Rubber tube end)	10.5