

Orthodox type endures tough continuous use.

It can be used differently at peak time and at idle time. It is wallet-friendly. Convenient announcing timer attached models are newly launched!

■Uniform heating system grills evenly.

An independent mixing pipe method burner realizes uniform heating of the bottom side of the thick pan. It can grill evenly, deliciously, and beautifully.

High heating power steams to the core of gyoza.

An independent mixing pipe method burner realizes high heating power as well as uniform heating. It heats to the core and grills surface crisply.

Lidded pan is adopted to enhance deliciousness.

Lid pressurizes steam, which cook to the core of gyoza. Lid is removable and easy-to-clean. You can use it cleanly.

Easy and quick draining.

With just lifting pan handle, you can drain quickly even though a large amount of water is fed during cooking.

Better workability with exhaust and drainage.

Exhaust of burner is conducted intensively at the back. In addition, drain ditch is provided at the back of sheet pan. It enhances workability of cooking considerably.

Convenient announcing timer improves work efficiency.

Timer that can set for each pan is provided. It cuts wasteful operations and realizes stable grill at all times.



Safely designed auto ignition system.


Auto ignition system is provided to fire quickly, easily, and

■10 types to be selected according to restaurant.

10 types in total consist of 2 models of one pan, 3 models of two pans, and announcing timer attached types to each of them. You can select it according to the size and form of your restaurant.









Orthodox Series < Gas > Gyoza Cooker Specifications Table

Madal	Externa					Number			Gas	Power	Power	Power cord	Drain	Weight			
Model	Width	Depth	Height	Height back	Width	Depth	Width	Depth	of pans	Town gas	LP gas	(Union)	(50/60Hz)	(50/60Hz)	Fower Cora	outlet	(kg)
MGZS-057BT	550	730	800	150	303	304	_	_	1	15.5kW(13,300kcal/h)	15.5kW(1.11kg/h)	20A	1φ100V	6W	3m with plug (earth cable attached)	25A	72.5
☆MGZS-077BT	700	730	800	150	453	304	_	_	1	25.2kW(21,700kcal/h)	25.2kW(1.81kg/h)	25A	1φ100V	6W		25A	89.5
MGZS-087WBT	770	730	800	150	223	304	223	304	2	26.1kW(22,400kcal/h)	26.1kW(1.87kg/h)	25A	1φ100V	10W		25A	105.5
☆MGZS-107WBT	1,000	730	800	150	223	304	453	304	2	38.3kW (32,900kcal/h)	38.3kW(2.74kg/h)	25A	1φ100V	10W		25A	131.5
☆MGZS-137WBT	1,300	730	800	150	453	304	523	304	2	55.4kW(47,600kcal/h)	55.4kW(3.97kg/h)	25A	1φ100V	10W		25A	164.5
MGZS-057B	550	730	800	150	303	304	_	_	1	15.5kW(13,300kcal/h)	15.5kW(1.11kg/h)	20A	_	_		25A	71.0
☆MGZS-077B	700	730	800	150	453	304	_	_	1	25.2kW(21,700kcal/h)	25.2kW(1.81kg/h)	25A	_	_		25A	88.0
MGZS-087WB	770	730	800	150	223	304	223	304	2	26.1kW(22,400kcal/h)	26.1kW(1.87kg/h)	25A	_	_		25A	103.0
☆MGZS-107WB	1,000	730	800	150	223	304	453	304	2	38.3kW(32,900kcal/h)	38.3kW(2.74kg/h)	25A	_	_		25A	129.0
☆MGZS-137WB	1,300	730	800	150	453	304	523	304	2	55.4kW (47,600kcal/h)	55.4kW(3.97kg/h)	25A		_		25A	162.0

■Announcing timer is attached to the models with "T" at the end of model. ■Delivery time for ☆ mark model is about 2 weeks after receipt of order.